

*The 5th Workshop on
Operator Algebras and its Application, February 5-8, 2018
School of Mathematics, IPM, Tehran*

C*-algebras Associated to Étale Groupoids

Christian Bönicke

University of Münster

Germany

After recalling some of the basic notions in the theory of étale groupoids and their C*-algebras, we will turn to the structure theory of the latter. In particular we will study the ideal structure and finiteness/pure infiniteness. This leads to a notion of paradoxical decomposition in groupoids, which can be studied by means of the so-called type semigroup. Finally, if time permits, I will briefly outline how the theory of groupoid C*-algebras is used in another direction, providing a unified approach to several types of rigidity questions.

1. C. Anantharaman-Delaroche, J. Renault, *Amenable groupoids*, Monographies de L'Enseignement Mathématique **36**, Geneva, 2000.
2. C. Bönicke, K. Li, Ideal structure and pure infiniteness of ample groupoid C*-algebras, <https://arxiv.org/abs/1707.03740>.
3. J. Brown, L. O. Clark, C. Farthing, A. Sims, Simplicity of algebras associated to étale groupoids, *Semigroup Forum* **88** (2014), 433-452. 4. J. Brown, L. O. Clark, A. Sierakowski, Purely infinite C*-algebras associated to étale groupoids, *Ergodic Theory Dynam. Systems* **35** (2015), 2397-2411.
5. X. Li and J. Renault, Cartan subalgebras in C*-algebras: existence and uniqueness, arXiv:1703.10505, 2017.
6. J. Renault, Cartan subalgebras in C*-algebras, *Irish Math. Soc. Bull.* **61** (2008), 29-63.
7. J. Renault, *A groupoid approach to C*-algebras*, Lecture Notes in Mathematics 793, Springer, Berlin, 1980.
8. A. Sims, *Lecture notes on étale groupoids and their C*-algebras*, <https://arxiv.org/abs/1710.10897>.